

2006 Author Index

Akpan A, Gosney MA, Barrett J. Privacy for defecation and fecal incontinence in older adults. 2006;33:536-540
Allen M, Oberle K. Diet strategies used by women to manage fecal incontinence. 2006;33:52-62 (Commentary)
Anderson D (see Webster et al). 2006;33:156-163
Anderson R (see Doughty et al). 2006;33:125-132
Annells M. The experience of flatus incontinence from a bowel ostomy: a hermeneutic phenomenology. 2006;33:518-524
Aukamp V (see Sredl and Aukamp). 2006;33:42-51
Ayello EA. New evidence for an enduring wound-healing concept: moisture control. 2006;33:S1-S2

Baker L (see O'Connell et al). 2006;33:389-395
Barrett J (see Akpan et al). 2006;33:536-540
Bednarski D (see Pieper et al). 2006;33:281-291
Beitz J (see Doughty et al). 2006;33:125-132
Beitz JM. Writing the researchable question. 2006;33:122-124 (Spotlight on Research)
Bliss DZ (see Fine and Bliss). 2006;33:594-605 (Spotlight on Research)
Bliss DZ (see Hansen et al). 2006;33:52-62
Bliss DZ (see Haugen et al). 2006;33:525-535
Bolton L. Are silver products safe and effective for chronic wound management? 2006;33:469-477 (Evidence-Based Report Card)
Bonham P (see Doughty et al). 2006;33:125-132
Bonham P. Get the LEAD out: noninvasive assessment for lower extremity arterial disease using ankle brachial index and toe brachial index measurements. 2006;33:30-41
Bonham P. Surgical wound case studies with the versatile 1 wound vacuum system for negative pressure wound therapy. 2006;33:176-190 (Commentary)
Brett DW. A review of moisture-control dressings in wound care. 2006;33:S3-S8
Brett DW. Impact on exudate management, maintenance of a moist wound environment, and prevention of infection. 2006;33:S9-S14
Brett DW. Impact on pain control, epidermal stripping, leakage of wound fluid, ease of use, pressure reduction and cost-effectiveness. 2006;33:S15-S19
Bruce AW (see Midthun and Bruce). 2006;33:292-295
Bruce AW (see Midthun et al). 2006;33:396-401
Bruce AW (see Midthun et al). 2006;33:402-407
Buckley B. It's the way you ask that matters: comparison of data relating to prevalence of incontinence aid use from two surveys of people with multiple sclerosis. 2006;33:26-29 (Spotlight on Research)
Burch J, Jones M. Pyoderma gangrenosum and leg ulcers associated with vasculitis: importance of addressing the underlying disease process when treating inflammatory wounds. 2006;33:77-82
Burns J (see Pieper et al). 2006;33:281-291

Calabrese B (see Resnick et al). 2006;33:610-618
Campbell P. Surgical wound case studies with the versatile 1 wound vacuum system for negative pressure wound therapy. 2006;33:176-190
Chaves EC (see de Gouvenia Santos et al). 2006;33:504-509
Chaves LM, Grypdonck MHF, Defloor T. Pressure ulcer prevention in homecare: do Dutch homecare agencies have an evidence-based pressure ulcer protocol? 2006;33:273-280
Courtney M (see Webster et al). 2006;33:156-163
Crestodina L. 2006;33:416-421.
Crestodina L (see Fellows and Crestodina). 2006;33:606-609
Cyr D (see Hunter and Cyr). 2006;33:630-636

Day K (see O'Connell et al). 2006;33:389-395
Defloor T (see Chaves et al). 2006;33:273-280
de Gouvenia Santos VLC, Chaves EC, Kimura M. Quality of life and coping of persons with temporary and permanent stomas. 2006;33:504-509
Dougherty MC (see Wilde and Dougherty). 2006;33:164-175
Doughty D, Ramundo J, Bonham P, Beitz J, Erwin-Toth P, Anderson R, Rolstad BS. Issues and challenges in staging of pressure ulcers. 2006;33:125-132
Dowd ET (see Dowd and Dowd). 2006;33:63-68
Dowd T, Dowd ET. A cognitive therapy approach to promote continence. 2006;33:63-68

Erwin-Toth P (see Doughty et al). 2006;33:125-132

Farley KL (see Wir and Farley). 2006;33:482-490
Fellows J (see Pierce et al). 2006;33:541-548
Fellows J. Pyoderma gangrenosum and leg ulcers associated with vasculitis: importance of addressing the underlying disease process when treating inflammatory wounds. 2006;33:77-82 (Commentary)
Fellows J, Crestodina L. Home-prepared saline: a safe, cost-effective alternative for wound cleansing in home care. 2006;33:606-609
Fernandez RS, Griffiths RD. Duration of short-term indwelling catheters—a systematic review of the evidence. 2006;33:145-155
Fine EV, Bliss DZ. Searching the literature: understanding and using structured electronic databases. 2006;33:594-605 (Spotlight on Research)
Flemister B. Be aware of compassion fatigue. 2006;33:465-466 (Guest Editorial)

Copyright © 2006 by the Wound, Ostomy and Continence Nurses Society

Forbes D (see Jansen and Forbes). 2006;33:69-76
Frattaroli M (see Pieper et al). 2006;33:281-291
Freeland B (see Pieper et al). 2006;33:281-291

Garretson B (see Pieper et al). 2006;33:281-291
Gosney MA (see Akpan et al). 2006;33:536-540
Gray M. Context for WOC practice. 2006;33:105-107 (Editorial)
Gray M. Context for WOC practice. 2006;33:230-232 (Editorial)
Gray M. Context for WOC practice. 2006;33:352-354 (Editorial)
Gray M. Context for WOC practice. 2006;33:459-461 (Editorial)
Gray M. Context for WOC practice. 2006;33:589-590 (Editorial)
Gray M. Does the construction material affect outcomes in long-term catheterization? 2006;33:116-121 (Evidence-Based Report Card)
Gray M. Is total contact casting effective for treating diabetic foot ulcers?. 2006;33:359-362 (Evidence-Based Report Card)
Gray M. Transition. 2006;33:9-10 (Editorial)
Gray M, Ratliff CR. Is hyperbaric oxygen therapy effective for the management of chronic wounds? 2006;33:21-25 (Evidence-Based Report Card)
Griffiths RD (see Fernandez and Griffiths). 2006;33:145-155
Grypdonck MHF (see Chaves et al). 2006;33:273-280
Gunningberg L. EPUAP pressure ulcer prevalence survey in Sweden: a two-year follow-up of quality indicators. 2006;33:258-266

Hansen JL, Bliss DZ, Peden-McAlipne C. Diet strategies used by women to manage fecal incontinence. 2006;33:52-62
Haugen V, Bliss DZ, Savik K. Perioperative factors that affect long-term adjustment to an incontinent ostomy. 2006;33:525-535
Hocevar BJ. Development of methods for skin barrier peeling tests. 2006;33:510-517 (Commentary)
Hunter KF, Cyr D. Pharmacotherapeutics in older adults. 2006;33:630-636
Hurlow J. Tag F315: an opportunity for WOC nurses. 2006;33:296-304

Jansen L, Forbes D. The psychometric testing of a urinary incontinence nursing assessment instrument. 2006;33:69-76
Jones M (see Burch and Jones). 2006;33:77-82

Kazuhara S (see Omura et al). 2006;33:510-517
Keilman LJ (see Resnick et al). 2006;33:610-618
Kenji O (see Omura et al). 2006;33:510-517
Kiely CI. Diabetic foot care education: it's not just about the foot. 2006;33:416-421
Kimura M (see de Gouvenia Santos et al). 2006;33:504-509
Kitagawa A (see Nakagami et al). 2006;33:267-272
Konya C (see Nakagami et al). 2006;33:267-272
Krueger RA. Analyzing focus group interviews. 2006;33:478-481
Krueger RA. Is it a focus group? tips on how to tell. 2006;33:363-366 (Spotlight on Research)
Kulwicki P (see Pieper et al). 2006;33:281-291

Lawhorne L (see Resnick et al). 2006;33:610-618

McCullen KL, Pieper B. A retrospective chart review of risk factors for extravasation among neonates receiving peripheral intravascular fluids. 2006;33:133-139
Midthun P (see Midthun et al). 2006;33:402-407
Midthun S, Bruce AW. Are true-negative nitrite results affected by a two-hour delay in dipstick/pad analysis of urine in incontinence pads? 2006;33:292-295
Midthun S, Paur R, Bruce AW. A protocol for the urine dipstick/pad method. 2006;33:396-401
Midthun S, Paur R, Bruce AW, Midthun P. A survey regarding the use of the dipstick/pad method with elderly, incontinent patients. 2006;33:402-407
Mollenhauer S (see Schimmelpfenning and Mollenhauer). 2006;33:639-643

Nakagami G, Sanada H, Konya C, Kitagawa A, Tadaka E, Tabata K. Comparison of two pressure ulcer preventive sressings for reducing shear force on the heel. 2006;33:267-272

Oberle K (see Allen and Oberle). Diet strategies used by women to manage fecal incontinence. 2006;33:52-62 (Commentary)
O'Connell B, Wellman D, Baker L, Day K. Does a continence educational brochure promote health-seeking behavior? 2006;33:389-395
Omura Y, Kazuhara S, Kenji O. Development of methods for skin barrier peeling tests. 2006;33:510-517
Osborne S (see Webster et al). 2006;33:156-163
Ostaszkiewicz J. A clinical nursing leadership model for enhancing continence care for older adults in a subacute inpatient care setting. 2006;33:624-629
Ouslander J (see Resnick et al). 2006;33:610-618

Pailet J (see Resnick et al). 2006;33:610-618
Palleschi MT (see Pieper et al). 2006;33:281-291
Parmelee P (see Resnick et al). 2006;33:610-618
Paur R (see Midthun et al). 2006;33:396-401
Paur R (see Midthun et al). 2006;33:402-407
Peden-McAlpine C (see Hansen et al). 2006;33:52-62
Peirce B. Use of a clear absorbent acrylic dressing for debridement. 2006;33:639-643 (Commentary)
Pemberton V (see Turpin and Pemberton). 2006;33:381-388
Pieper B (see McCullen and Pieper). 2006;33:133-139
Pieper B, Sieggreen M, Freeland B, Kulwicki P, Frattaroli M, Sidor D, Palleschi MT, Burns J, Bednarski D, Garretson B. Discharge information needs of patients after surgery. 2006;33:281-291
Pierce M, Rice M, Fellows J. Wet colostomy and peristomal skin breakdown. 2006;33:541-548

Ramundo J (see Doughty et al). 2006;33:125-132
Rastinehad D. Pressre ulcer pain. 2006;33:252-257
Ratliff CR (see Gray and Ratliff). 2006;33:21-25 (Evidence-Based Report Card)
Resnick B, Keilman LJ, Calabrese B, Parlmelee P, Lawhorne L, Pailet J, Ouslander J. Nursing staff beliefs and expectations about continence care in nursing homes. 2006;33:610-618
Rice B. Awareness of urine flow in people with long-term urinary catheters. 2006;33:164-175 (Commentary)
Rice M (see Pierce et al). 2006;33:541-548
Rolstad BS (see Doughty et al). 2006;33:125-132

Salvadalena G. Wet colostomy and peristomal skin breakdown. 2006;33:541-548 (Commentary)
Sanada H (see Nakagami et al). 2006;33:267-272
Savik K (see Haugen et al). 2006;33:525-535
Savik K. Reporting *P* values. 2006;33:247-251 (Spotlight on Research)
Schimmelpfenning D, Mollenhauer S. Use of a clear absorbent acrylic dressing for debridement. 2006;33:639-643
Shearer J (see Webster et al). 2006;33:156-163
Sidor D (see Pieper et al). 2006;33:281-291
Siegel T. Do registered nurses perceive the anchoring of indwelling urinary catheters as a necessary aspect of nursing care? a pilot study 2006;33:140-144
Sieggreen M (see Pieper et al). 2006;33:281-291

Smith DA. Tag F315: an opportunity for WOC nurses. 2006;33:296-304 (Commentary)
Smith DB. Urinary incontinence and diabetes: a review. 2006;33:619-623
Sredl D, Aukamp V. Evidence-based nursing care management for the pregnant woman with an ostomy. 2006;33:42-51
Steele SE. When trauma means a stoma. 2006;33:491-503

Tabata K (see Nakagami et al). 2006;33:267-272
Tadaka E (see Nakagami et al). 2006;33:267-272
Tomaselli N. The role of topical silver preparations in wound healing. 2006;33:367-380
Turpin PG, Pemberton V. Prevention of pressure ulcers in patients being managed on CLRT: is supplemental repositioning needed? 2006;33:381-388

Varnado MF. An alternative method of offloading the neuropathic foot ulcer. 2006;33:408-415 (Commentary)

Webster J, Osborne S, Woollett K, Shearer J, Courtney M, Anderson D. Does evening removal of urinary catheters shorten hospital stay among general hospital patients? a randomized controlled trial. 2006;33:156-163
Weir D, Farley KL. Relative delivery efficiency and convenience of spray and ointment formulations of papain/urea/chlorophyllin enzymatic wound therapies. 2006;33:482-490
Wellman D (see O'Connell et al). 2006;33:389-395
Wilde MH, Dougherty MC. Awareness of urine flow in people with long-term urinary catheters. 2006;33:164-175
Wood-Belford K. An alternative method of offloading the neuropathic foot ulcer. 2006;33:408-415
Woollett K (see Webster et al). 2006;33:156-163



2006 Subject Index

A
Abstracts
Scientific and Clinical Abstracts From the 38th Annual Wound, Ostomy and Continence Conference, 2006;33:S1–S55 (May–June, Supp.1)
Acrylic dressings
Use of clear a absorbent acrylic dressing for debridement (Schimmelpfenning and Mollenhauer; Peirce [commentary]), 2006;33:639
Adhesive force
Development of methods for skin barrier peeling tests (Omura, Kazuharu and Kenji; Hocevar [commentary]), 2006;33:510
Adjustment
Perioperative factors that affect long-term adjustment to an incontinent ostomy (Haugen, Bliss and Savik), 2006:33:525
Age/aging
Pharmacotherapeutics in older adults (Hunter and Cyr), 2006;33:630
Ankle brachial index
Get the LEAD out: Noninvasive assessment for lower extremity arterial disease using ankle brachial index and toe brachial index measurements (Bonham), 2006;33:30

B
Bacterial contamination
Home-prepared saline: A safe, cost-effective alternative for wound cleansing in home care (Fellows and Crestodina), 2006;33:606
The role of topical silver preparations in wound healing (Tomaselli), 2006;33:367
Bacteriuria
Are true-negative nitrite results affected by a two-hour delay in dipstick/pad analysis of urine in incontinence pads? (Midthun and Bruce), 2006;33:292
Bioburden
The role of topical silver preparations in wound healing (Tomaselli), 2006;33:367

C
Capital Health Authority (CHA) Screening Tool
The psychometric testing of a urinary incontinence nursing assessment instrument (Jansen and Forbes), 2006;33:69
Casting
An alternative method of offloading the neuropathic foot ulcer (Wood-Belford; Varnado [commentary]), 2006;33:408

Is total contact casting effective for treating diabetic foot ulcers? (Gray), 2006;33:359
Catheters/catheterization
Awareness of urine flow in people with long-term urinary catheters (Wilde and Dougherty; Roe [commentary]), 2006;33:164
Does evening removal of urinary catheters shorten hospital stay among general hospital patients? A randomized clinical trial (Webster, Osborne, Woollett et al), 2006;33:156
Does the construction material affect outcomes in long-term catheterization? (Gray), 2006;33:116
Do registered nurses perceive the anchoring of indwelling urinary catheters as a necessary aspect of nursing care? A pilot study (Siegel), 2006;33:140
Duration of short-term indwelling catheters: A systematic review of the evidence (Fernandez and Griffiths), 2006;33:145
Cognitive therapy
A cognitive therapy approach to promote continence (Dowd and Dowd), 2006;33:63
Compassion fatigue
Beware of compassion fatigue (Flemister) (Guest Editorial), 2006;33:465
Continence Educational Brochure
Does a continence educational brochure promote health-seeking behavior? (O'Connell, Wellman, Baker and Day), 2006;33:389
Continuing education
Discharge information needs of patients after surgery (Pieper, Sieggreen, Freeland et al), 2006;33:281
Duration of short-term indwelling catheters: A systematic review of the evidence (Fernandez and Griffiths), 2006;33:145
Evidence-based nursing care management for the pregnant woman with an ostomy (Sredl and Aukamp), 2006;33:42
Issues and challenges in staging of pressure ulcers (Doughty, Ramundo, Bonham et al), 2006;33:125
The role of topical silver preparations in wound healing (Tomaselli), 2006;33:367
When trauma means a stoma (Steele), 2006;33:491
Continuous lateral rotation therapy
Prevention of pressure ulcers in patients being managed on CLRT: Is supplemental repositioning needed? (Turpin and Pemberton), 2006;33:381
Coping strategies
Quality of life and coping of persons with temporary and permanent stomas (Santos, Chaves and Kimura), 2006;33:503

D
Debridement
Surgical wound case studies with the Versatile 1 Wound Vacuum System for negative pressure wound therapy (Campbell; Bonham [commentary]), 2006;33:176
Use of a clear absorbent acrylic dressing for debridement (Schimmelpfenning and Mollenhauer; Peirce [commentary]), 2006;33:639
Defecation
Privacy for defecation and fecal incontinence in older adults (Akpan, Gosney and Barrett), 2006;33:536
Diabetes mellitus. *See also* Diabetic foot ulcers
Diabetic foot care education: It's not just about the foot (Kiely; Crestodina [commentary]), 2006;33:416
Urinary incontinence and diabetes: A review (Smith), 2006;33:619
Diabetic foot ulcers
An alternative method of offloading the neuropathic foot ulcer (Wood-Belford; Varnado [commentary]), 2006;33:408
Are silver products safe and effective for chronic wound management? (Bolton), 2006;33:469
Diabetic foot care education: It's not just about the foot (Kiely; Crestodina [commentary]), 2006;33:416
Is hyperbaric oxygen therapy effective for the management of chronic wounds? (Gray and Ratliff), 2006;33:21
Is total contact casting effective for treating diabetic foot ulcers? (Gray), 2006;33:359
Diet
Diet strategies used by women to manage fecal incontinence (Hansen, Bliss and Peden-McAlpine; Allen and Oberle [commentary]), 2006;33:52
Dipstick/pad urinalysis
Are true-negative nitrite results affected by a two-hour delay in dipstick/pad analysis of urine in incontinence pads? (Midthun and Bruce), 2006;33:292
A protocol for the urine dipstick/pad method (Midthun, Paur and Bruce), 2006;33:396
A survey regarding the use of the dipstick/pad method with elderly, incontinent patients (Midthun, Paur, Bruce and Midthun), 2006;33:402
Discharge planning
Discharge information needs of patients after surgery (Pieper, Sieggreen, Freeland et al), 2006;33:281
Dressings
Comparison of two pressure ulcer preventive dressings for reducing shear force on the heel (Nakagami, Sanada, Konya et al), 2006;33:267
Impact on exudate management, maintenance of a moist wound environment, and prevention of infection (Brett), 2006;33:S–9 (Nov/Dec, Suppl. 1)
Impact on pain control, epidermal stripping, leakage of wound fluid, ease of use, pressure reduction and cost-effectiveness (Brett), 2006;33:S–15 (Nov/Dec, Suppl. 1)
A review of moisture-control dressings in wound care (Brett), 2006;33:S–3 (Nov/Dec, Suppl. 1)
Use of clear absorbent acrylic dressing for debridement (Schimmelpfenning and Mollenhauer; Peirce [commentary]), 2006;33:639
Drug delivery systems
Relative delivery efficiency and convenience of spray and ointment formulations of papain/urea/chlorophyllin enzymatic wound therapies (Weir and Farley), 2006;33:482
Drug therapy
Pharmacotherapeutics in older adults (Hunter and Cyr), 2006;33:630

E
Editorial. *See also* Guest Editorial
Context for WOC practice (Gray), 2006;33:105, 2006;33:230, 2006;33:352, 2006;33:459, 2006;33:589
Transition (Gray), 2006;33:9
Electronic databases
Searching the literature: Understanding and using structured electronic databases (Fine and Bliss), 2006;33:594
Epidermal stripping
Impact on pain control, epidermal stripping, leakage of wound fluid, ease of use, pressure reduction and cost-effectiveness (Brett), 2006;33:S–15 (Nov/Dec, Suppl. 1)

European Pressure Ulcer Advisory Panel
EPUAP pressure ulcer prevalence in Sweden: A two-year follow-up of quality indicators (Gunningberg), 2006;33:258
Evidence-based practice. ***See also*** **Evidence-based Report Card**
Evidence-based nursing care management for the pregnant woman with an ostomy (Sredl and Aukamp), 2006;33:42
Pressure ulcer prevention in homecare: Do Dutch homecare agencies have an evidence-based pressure ulcer protocol? (Chaves, Grypdonck and Defloor), 2006;33:273
Evidence-based Report Card
Are silver products safe and effective for chronic wound management? (Bolton), 2006;33:469
Does the construction material affect outcomes in long-term catheterization? (Gray), 2006;33:116
Is hyperbaric oxygen therapy effective for the management of chronic wounds? (Gray and Ratliff), 2006;33:21
Is total contact casting effective for treating diabetic foot ulcers? (Gray), 2006;33:359
Extravasation
A retrospective chart review of risk factors for extravasation among neonates receiving peripheral intravascular fluids (McCullen and Pieper), 2006;33:133
Extremity(ies)
Comparison of two pressure ulcer preventive dressings for reducing shear force on the heel (Nakagami, Sanada, Konya et al), 2006;33:267
Get the LEAD out: Noninvasive assessment for lower extremity arterial disease using ankle brachial index and toe brachial index measurements (Bonham), 2006;33:30
Is total contact casting effective for treating diabetic foot ulcers? (Gray), 2006;33:359
Pyoderma gangrenosum and leg ulcers associated with vasculitis: Importance of addressing the underlying disease process when treating inflammatory wounds (Burch and Jones; Fellows [commentary]), 2006;33:77
Exudate
Impact on exudate management, maintenance of a moist wound environment, and prevention of infection (Brett), 2006;33:S–9 (Nov/Dec, Suppl. 1)

F
Fecal incontinence
Diet strategies used by women to manage fecal incontinence (Hansen, Bliss and Peden-McAlpine; Allen and Oberle [commentary]), 2006;33:52
Privacy for defecation and fecal incontinence in older adults (Akpan, Gosney and Barrett), 2006;33:536
Flatus incontinence
The experience of flatus incontinence from a bowel ostomy: A hermeneutic phenomenology (Annells), 2006;33:518
Fluid intake
Awareness of urine flow in people with long-term urinary catheters (Wilde and Dougherty; Roe [commentary]), 2006;33:164
Focus groups
Analyzing focus group interviews (Krueger), 2006;33:478
Is it a focus group? Tips on how to tell (Krueger), 2006;33:363

G
Geriatric population
A clinical nursing leadership model for enhancing continence care for older adults in a subacute care setting (Ostaszkiewicz), 2006;33:624
Comparison of two pressure ulcer preventive dressings for reducing shear force on the heel (Nakagami, Sanada, Konya et al), 2006;33:267
Nursing staff beliefs and expectations about continence care in nursing homes (Resnick, Keilman, Calabrese et al), 2006;33:610
Pharmacotherapeutics in older adults (Hunter and Cyr), 2006;33:630
Privacy for defecation and fecal incontinence in older adults (Akpan, Gosney and Barrett), 2006;33:536
A protocol for the urine dipstick/pad method (Midthun, Paur and Bruce), 2006;33:396
A survey regarding the use of the dipstick/pad method with elderly, incontinent patients (Midthun, Paur, Bruce and Midthun), 2006;33:402
Tag F315: An opportunity for WOC nurses (Hurlow; Smith [commentary]), 2006;33:296
Guest Editorial
Beware of compassion fatigue (Flemister), 2006;33:465

H
Health promotion
Does a continence educational brochure promote health-seeking behavior? (O'Connell, Wellman, Baker and Day), 2006;33:389
Hermeneutic phenomenology
The experience of flatus incontinence from a bowel ostomy: A hermeneutic phenomenology (Annells), 2006;33:518
Homecare
Home-prepared saline: A safe, cost-effective alternative for wound cleansing in home care (Fellows and Crestodina), 2006;33:606
Pressure ulcer prevention in homecare: Do Dutch homecare agencies have an evidence-based pressure ulcer protocol? (Chaves, Grypdonck and Defloor), 2006;33:273
Hospital length of stay
Does evening removal of urinary catheters shorten hospital stay among general hospital patients? A randomized clinical trial (Webster, Osborne, Woollett et al), 2006;33:156
Hydrocellular foam dressings
Impact on exudate management, maintenance of a moist wound environment, and prevention of infection (Brett), 2006;33:S–9 (Nov/Dec, Suppl. 1)
Impact on pain control, epidermal stripping, leakage of wound fluid, ease of use, pressure reduction and cost-effectiveness (Brett), 2006;33:S–15 (Nov/Dec, Suppl. 1)
A review of moisture-control dressings in wound care (Brett), 2006;33:S–3 (Nov/Dec, Suppl. 1)
Hyperbaric oxygen therapy
Is hyperbaric oxygen therapy effective for the management of chronic wounds? (Gray and Ratliff), 2006;33:21

I
Incontinence aids
It's the way you ask that matters: Comparison of data relating to prevalence of incontinence aid use from two surveys of people with multiple sclerosis (Buckley), 2006;33:26
Infection
Impact on exudate management, maintenance of a moist wound environment, and prevention of infection (Brett), 2006;33:S–9 (Nov/Dec, Suppl. 1)

Inflammatory disease
Pyoderma gangrenosum and leg ulcers associated with vasculitis: Importance of addressing the underlying disease process when treating inflammatory wounds (Burch and Jones; Fellows [commentary]), 2006;33:77
Informational needs
Discharge information needs of patients after surgery (Pieper, Sieggreen, Freeland et al), 2006;33:281

J
Journal of Wound, Ostomy and Continence Nursing
Transition (Gray) (Editorial), 2006;33:9

L
Leadership model
A clinical nursing leadership model for enhancing continence care for older adults in a subacute care setting (Ostaszkiewicz), 2006;33:624
Letters to the Editor
Barriers to incontinence research funding (Flowers), 2006;33:236
Pouch designs and size paradox (aka) the potty paradox: a topic for an "incontinent" ostomy consensus panel (D'Orazio), 2006;33:236
Long-term care facility
A protocol for the urine dipstick/pad method (Midthun, Paur and Bruce), 2006;33:396

M
Moisture control
Impact on exudate management, maintenance of a moist wound environment, and prevention of infection (Brett), 2006;33:S–9 (Nov/Dec, Suppl. 1)
New evidence for an enduring wound-healing concept: Moisture control (Ayello), 2006;33:S–1 (Nov/Dec, Suppl. 1)
A review of moisture-control dressings in wound care (Brett), 2006;33:S–3 (Nov/Dec, Suppl. 1)
Multiple sclerosis
It's the way you ask that matters: Comparison of data relating to prevalence of incontinence aid use from two surveys of people with multiple sclerosis (Buckley), 2006;33:26

N
Negative pressure wound therapy
Surgical wound case studies with the Versatile 1 Wound Vacuum System for negative pressure wound therapy (Campbell; Bonham [commentary]), 2006;33:176
Neonates
A retrospective chart review of risk factors for extravasation among neonates receiving peripheral intravascular fluids (McCullen and Pieper), 2006;33:133
Neuropathic foot ulcers
An alternative method of offloading the neuropathic foot ulcer (Wood-Belford; Varnado [commentary]), 2006;33:408
Nitrite
Are true-negative nitrite results affected by a two-hour delay in dipstick/pad analysis of urine in incontinence pads? (Midthun and Bruce), 2006;33:292
A protocol for the urine dipstick/pad method (Midthun, Paur and Bruce), 2006;33:396
Noninvasive assessment
Get the LEAD out: Noninvasive assessment for lower extremity arterial disease using ankle brachial index and toe brachial index measurements (Bonham), 2006;33:30
Nursing homes
Nursing staff beliefs and expectations about continence care in nursing homes (Resnick, Keilman, Calabrese et al), 2006;33:610

O
Ostomy
Development of methods for skin barrier peeling tests (Omura, Kazuharu and Kenji; Hocevar [commentary]), 2006;33:510
Evidence-based nursing care management for the pregnant woman with an ostomy (Sredl and Aukamp), 2006;33:42
The experience of flatus incontinence from a bowel ostomy: A hermeneutic phenomenology (Annells), 2006;33:518
Perioperative factors that affect long-term adjustment to an incontinent ostomy (Haugen, Bliss and Savik), 2006:33:525
Quality of life and coping of persons with temporary and permanent stomas (Santos, Chaves and Kimura), 2006;33:503
Wet colostomy and peristomal skin breakdown (Pierce, Rice and Fellows; Salvadalena [commentary]), 2006;33:541
When trauma means a stoma (Steele), 2006;33:491
Outcomes
Diabetic foot care education: It's not just about the foot (Kiely; Crestodina [commentary]), 2006;33:416
Does evening removal of urinary catheters shorten hospital stay among general hospital patients? A randomized clinical trial (Webster, Osborne, Woollett et al), 2006;33:156
Does the construction material affect outcomes in long-term catheterization? (Gray), 2006;33:116
Duration of short-term indwelling catheters: A systematic review of the evidence (Fernandez and Griffiths), 2006;33:145

P
Pain management
Impact on pain control, epidermal stripping, leakage of wound fluid, ease of use, pressure reduction and cost-effectiveness (Brett), 2006;33:S–15 (Nov/Dec, Suppl. 1)
Pressure ulcer pain (Rastinehad), 2006;33:252
Papain/urea/chlorophyllin copper complex
Relative delivery efficiency and convenience of spray and ointment formulations of papain/urea/chlorophyllin enzymatic wound therapies (Weir and Farley), 2006;33:482
Patient education
Diabetic foot care education: It's not just about the foot (Kiely; Crestodina [commentary]), 2006;33:416
Discharge information needs of patients after surgery (Pieper, Sieggreen, Freeland et al), 2006;33:281
Does a continence educational brochure promote health-seeking behavior? (O'Connell, Wellman, Baker and Day), 2006;33:389
Perioperative factors that affect long-term adjustment to an incontinent ostomy (Haugen, Bliss and Savik), 2006:33:525
Patient positioning
Prevention of pressure ulcers in patients being managed on CLRT: Is supplemental repositioning needed? (Turpin and Pemberton), 2006;33:381

Peripheral IV therapy
A retrospective chart review of risk factors for extravasation among neonates receiving peripheral intravascular fluids (McCullen and Pieper), 2006;33:133
Pharmacotherapy
Pharmacotherapeutics in older adults (Hunter and Cyr), 2006;33:630
Pregnancy
Evidence-based nursing care management for the pregnant woman with an ostomy (Sredl and Aukamp), 2006;33:42
Pressure ulcers
Are silver products safe and effective for chronic wound management? (Bolton), 2006;33:469
Comparison of two pressure ulcer preventive dressings for reducing shear force on the heel (Nakagami, Sanada, Konya et al), 2006;33:267
EPUAP pressure ulcer prevalence in Sweden: A two-year follow-up of quality indicators (Gunningberg), 2006;33:258
Is hyperbaric oxygen therapy effective for the management of chronic wounds? (Gray and Ratliff), 2006;33:21
Issues and challenges in staging of pressure ulcers (Doughty, Ramundo, Bonham et al), 2006;33:125
Pressure ulcer pain (Rastinehad), 2006;33:252
Pressure ulcer prevention in homecare: Do Dutch homecare agencies have an evidence-based pressure ulcer protocol? (Chaves, Grypdonck and Defloor), 2006;33:273
Prevention of pressure ulcers in patients being managed on CLRT: Is supplemental repositioning needed? (Turpin and Pemberton), 2006;33:381
Privacy
Privacy for defecation and fecal incontinence in older adults (Akpan, Gosney and Barrett), 2006;33:536
Protocols
Pressure ulcer prevention in homecare: Do Dutch homecare agencies have an evidence-based pressure ulcer protocol? (Chaves, Grypdonck and Defloor), 2006;33:273
A protocol for the urine dipstick/pad method (Midthun, Paur and Bruce), 2006;33:396
Psychometrics
The psychometric testing of a urinary incontinence nursing assessment instrument (Jansen and Forbes), 2006;33:69
Psychosocial issues
The experience of flatus incontinence from a bowel ostomy: A hermeneutic phenomenology (Annells), 2006;33:518
P values
Reporting P values (Savik), 2006;33:247
Pyoderma gangrenosum
Pyoderma gangrenosum and leg ulcers associated with vasculitis: Importance of addressing the underlying disease process when treating inflammatory wounds (Burch and Jones; Fellows [commentary]), 2006;33:77

Q
Quality improvement
EPUAP pressure ulcer prevalence in Sweden: A two-year follow-up of quality indicators (Gunningberg), 2006;33:258
Quality of life
Quality of life and coping of persons with temporary and permanent stomas (Santos, Chaves and Kimura), 2006;33:503

R
Research. ***See also*** **Spotlight on Research**
Awareness of urine flow in people with long-term urinary catheters (Wilde and Dougherty; Roe [commentary]), 2006;33:164
Do registered nurses perceive the anchoring of indwelling urinary catheters as a necessary aspect of nursing care? A pilot study (Siegel), 2006;33:140
EPUAP pressure ulcer prevalence in Sweden: A two-year follow-up of quality indicators (Gunningberg), 2006;33:258
A survey regarding the use of the dipstick/pad method with elderly, incontinent patients (Midthun, Paur, Bruce and Midthun), 2006;33:402
Risk assessment
A retrospective chart review of risk factors for extravasation among neonates receiving peripheral intravascular fluids (McCullen and Pieper), 2006;33:133

S
Saline
Home-prepared saline: A safe, cost-effective alternative for wound cleansing in home care (Fellows and Crestodina), 2006;33:606
Self-care
A cognitive therapy approach to promote continence (Dowd and Dowd), 2006;33:63
Diet strategies used by women to manage fecal incontinence (Hansen, Bliss and Peden-McAlpine; Allen and Oberle [commentary]), 2006;33:52
Discharge information needs of patients after surgery (Pieper, Sieggreen, Freeland et al), 2006;33:281
Self-image
The experience of flatus incontinence from a bowel ostomy: A hermeneutic phenomenology (Annells), 2006;33:518
Sexuality
The experience of flatus incontinence from a bowel ostomy: A hermeneutic phenomenology (Annells), 2006;33:518
Shear force
Comparison of two pressure ulcer preventive dressings for reducing shear force on the heel (Nakagami, Sanada, Konya et al), 2006;33:267
Silver preparations
Are silver products safe and effective for chronic wound management? (Bolton), 2006;33:469
The role of topical silver preparations in wound healing (Tomaselli), 2006;33:367
Skin barriers
Development of methods for skin barrier peeling tests (Omura, Kazuharu and Kenji; Hocevar [commentary]), 2006;33:510
Skin breakdown
Wet colostomy and peristomal skin breakdown (Pierce, Rice and Fellows; Salvadalena [commentary]), 2006;33:541
Soft casting
An alternative method of offloading the neuropathic foot ulcer (Wood-Belford; Varnado [commentary]), 2006;33:408
Spotlight on Research
Analyzing focus group interviews (Krueger), 2006;33:478
Is it a focus group? Tips on how to tell (Krueger), 2006;33:363

It's the way you ask that matters: Comparison of data relating to prevalence of incontinence aid use from two surveys of people with multiple sclerosis (Buckley), 2006;33:26
Reporting P values (Savik), 2006;33:247
Searching the literature: Understanding and using structured electronic databases (Fine and Bliss), 2006;33:594
Writing the researchable question (Beitz), 2006;33:122
Stabilization
Do registered nurses perceive the anchoring of indwelling urinary catheters as a necessary aspect of nursing care? A pilot study (Siegel), 2006;33:140
Staging
Issues and challenges in staging of pressure ulcers (Doughty, Ramundo, Bonham et al), 2006;33:125
Surgical patient
Discharge information needs of patients after surgery (Pieper, Sieggreen, Freeland et al), 2006;33:281
Perioperative factors that affect long-term adjustment to an incontinent ostomy (Haugen, Bliss and Savik), 2006:33:525

T
Tag F315
Tag F315: An opportunity for WOC nurses (Hurlow; Smith [commentary]), 2006;33:296
Technology
Searching the literature: Understanding and using structured electronic databases (Fine and Bliss), 2006;33:594
TIME
New evidence for an enduring wound-healing concept: Moisture control (Ayello), 2006;33:S–1 (Nov/Dec, Suppl. 1)
Toe brachial index
Get the LEAD out: Noninvasive assessment for lower extremity arterial disease using ankle brachial index and toe brachial index measurements (Bonham), 2006;33:30
Trauma
When trauma means a stoma (Steele), 2006;33:491

U
Ulcers/ulceration
diabetic foot ulcers. *See* Diabetic foot ulcers
Is hyperbaric oxygen therapy effective for the management of chronic wounds? (Gray and Ratliff), 2006;33:21
pressure ulcers. *See* Pressure ulcers
Pyoderma gangrenosum and leg ulcers associated with vasculitis: Importance of addressing the underlying disease process when treating inflammatory wounds (Burch and Jones; Fellows [commentary]), 2006;33:77
Ureterosigmoidostomy
Wet colostomy and peristomal skin breakdown (Pierce, Rice and Fellows; Salvadalena [commentary]), 2006;33:541
Urinalysis
Are true-negative nitrite results affected by a two-hour delay in dipstick/pad analysis of urine in incontinence pads? (Midthun and Bruce), 2006;33:292
A protocol for the urine dipstick/pad method (Midthun, Paur and Bruce), 2006;33:396
Urinary catheter. *See* Catheters/catheterization
Urinary incontinence
A cognitive therapy approach to promote continence (Dowd and Dowd), 2006;33:63
Does a continence educational brochure promote health-seeking behavior? (O'Connell, Wellman, Baker and Day), 2006;33:389
The psychometric testing of a urinary incontinence nursing assessment instrument (Jansen and Forbes), 2006;33:69
Tag F315: An opportunity for WOC nurses (Hurlow; Smith [commentary]), 2006;33:296
Urinary incontinence and diabetes: A review (Smith), 2006;33:619
Urinary retention
Duration of short-term indwelling catheters: A systematic review of the evidence (Fernandez and Griffiths), 2006;33:145
Urinary tract infection
Are true-negative nitrite results affected by a two-hour delay in dipstick/pad analysis of urine in incontinence pads? (Midthun and Bruce), 2006;33:292
Awareness of urine flow in people with long-term urinary catheters (Wilde and Dougherty; Roe [commentary]), 2006;33:164
Does the construction material affect outcomes in long-term catheterization? (Gray), 2006;33:116
A protocol for the urine dipstick/pad method (Midthun, Paur and Bruce), 2006;33:396
A survey regarding the use of the dipstick/pad method with elderly, incontinent patients (Midthun, Paur, Bruce and Midthun), 2006;33:402
Tag F315: An opportunity for WOC nurses (Hurlow; Smith [commentary]), 2006;33:296
Urine flow
Awareness of urine flow in people with long-term urinary catheters (Wilde and Dougherty; Roe [commentary]), 2006;33:164

V
Vascular disease
Get the LEAD out: Noninvasive assessment for lower extremity arterial disease using ankle brachial index and toe brachial index measurements (Bonham), 2006;33:30
Is total contact casting effective for treating diabetic foot ulcers? (Gray), 2006;33:359
Pyoderma gangrenosum and leg ulcers associated with vasculitis: Importance of addressing the underlying disease process when treating inflammatory wounds (Burch and Jones; Fellows [commentary]), 2006;33:77
Vasculitis
Pyoderma gangrenosum and leg ulcers associated with vasculitis: Importance of addressing the underlying disease process when treating inflammatory wounds (Burch and Jones; Fellows [commentary]), 2006;33:77
Venous ulcers
Are silver products safe and effective for chronic wound management? (Bolton), 2006;33:469

W
Wet colostomy
Wet colostomy and peristomal skin breakdown (Pierce, Rice and Fellows; Salvadalena [commentary]), 2006;33:541
Women's health
Diet strategies used by women to manage fecal incontinence (Hansen, Bliss and Peden-McAlpine; Allen and Oberle [commentary]), 2006;33:52

Evidence-based nursing care management for the pregnant woman with an ostomy (Sredl and Aukamp), 2006;33:42
Wound, ostomy and continence (WOC) nursing
An alternative method of offloading the neuropathic foot ulcer (Wood-Belford; Varnado [commentary]), 2006;33:408
Are silver products safe and effective for chronic wound management? (Bolton), 2006;33:469
Are true-negative nitrite results affected by a two-hour delay in dipstick/pad analysis of urine in incontinence pads? (Midthun and Bruce), 2006;33:292
Awareness of urine flow in people with long-term urinary catheters (Wilde and Dougherty; Roe [commentary]), 2006;33:164
Beware of compassion fatigue (Flemister) (Guest Editorial), 2006;33:465
A clinical nursing leadership model for enhancing continence care for older adults in a subacute care setting (Ostaszkiewicz), 2006;33:624
A cognitive therapy approach to promote continence (Dowd and Dowd), 2006;33:63
Comparison of two pressure ulcer preventive dressings for reducing shear force on the heel (Nakagami, Sanada, Konya et al), 2006;33:267
Context for WOC practice (Editorial) (Gray), 2006;33:105, 2006;33:230, 2006;33:352, 2006;33:459, 2006;33:589
Diabetic foot care education: It's not just about the foot (Kiely; Crestodina [commentary]), 2006;33:416
Diet strategies used by women to manage fecal incontinence (Hansen, Bliss and Peden-McAlpine; Allen and Oberle [commentary]), 2006;33:52
Discharge information needs of patients after surgery (Pieper, Sieggreen, Freeland et al), 2006;33:281
Does a continence educational brochure promote health-seeking behavior? (O'Connell, Wellman, Baker and Day), 2006;33:389
Does evening removal of urinary catheters shorten hospital stay among general hospital patients? A randomized clinical trial (Webster, Osborne, Woollett et al), 2006;33:156
Do registered nurses perceive the anchoring of indwelling urinary catheters as a necessary aspect of nursing care? A pilot study (Siegel), 2006;33:140
Duration of short-term indwelling catheters: A systematic review of the evidence (Fernandez and Griffiths), 2006;33:145
EPUAP pressure ulcer prevalence in Sweden: A two-year follow-up of quality indicators (Gunningberg), 2006;33:258
Evidence-based nursing care management for the pregnant woman with an ostomy (Sredl and Aukamp), 2006;33:42
Get the LEAD out: Noninvasive assessment for lower extremity arterial disease using ankle brachial index and toe brachial index measurements (Bonham), 2006;33:30
Home-prepared saline: A safe, cost-effective alternative for wound cleansing in home care (Fellows and Crestodina), 2006;33:606
Impact on exudate management, maintenance of a moist wound environment, and prevention of infection (Brett), 2006;33:S–9 (Nov/Dec, Suppl. 1)
Issues and challenges in staging of pressure ulcers (Doughty, Ramundo, Bonham et al), 2006;33:125
New evidence for an enduring wound-healing concept: Moisture control (Ayello), 2006;33:S–1 (Nov/Dec, Suppl. 1)
Nursing staff beliefs and expectations about continence care in nursing homes (Resnick, Keilman, Calabrese et al), 2006;33:610
Pharmacotherapeutics in older adults (Hunter and Cyr), 2006;33:630
Pressure ulcer pain (Rastinehad), 2006;33:252
Pressure ulcer prevention in homecare: Do Dutch homecare agencies have an evidence-based pressure ulcer protocol? (Chaves, Grypdonck and Defloor), 2006;33:273
Prevention of pressure ulcers in patients being managed on CLRT: Is supplemental repositioning needed? (Turpin and Pemberton), 2006;33:381
Privacy for defecation and fecal incontinence in older adults (Akpan, Gosney and Barrett), 2006;33:536
A protocol for the urine dipstick/pad method (Midthun, Paur and Bruce), 2006;33:396
The psychometric testing of a urinary incontinence nursing assessment instrument (Jansen and Forbes), 2006;33:69
Pyoderma gangrenosum and leg ulcers associated with vasculitis: Importance of addressing the underlying disease process when treating inflammatory wounds (Burch and Jones; Fellows [commentary]), 2006;33:77
Relative delivery efficiency and convenience of spray and ointment formulations of papain/urea/chlorophyllin enzymatic wound therapies (Weir and Farley), 2006;33:482
A retrospective chart review of risk factors for extravasation among neonates receiving peripheral intravascular fluids (McCullen and Pieper), 2006;33:133
A review of moisture-control dressings in wound care (Brett), 2006;33:S–3 (Nov/Dec, Suppl. 1)
The role of topical silver preparations in wound healing (Tomaselli), 2006;33:367
Surgical wound case studies with the Versatile 1 Wound Vacuum System for negative pressure wound therapy (Campbell; Bonham [commentary]), 2006;33:176
A survey regarding the use of the dipstick/pad method with elderly, incontinent patients (Midthun, Paur, Bruce and Midthun), 2006;33:402
Tag F315: An opportunity for WOC nurses (Hurlow; Smith [commentary]), 2006;33:296
Urinary incontinence and diabetes: A review (Smith), 2006;33:619
Use of a clear absorbent acrylic dressing for debridement (Schimmelpfenning and Mollenhauer; Peirce [commentary]), 2006;33:639
Wet colostomy and peristomal skin breakdown (Pierce, Rice and Fellows; Salvadalena [commentary]), 2006;33:541
When trauma means a stoma (Steele), 2006;33:491
Wound assessment
Issues and challenges in staging of pressure ulcers (Doughty, Ramundo, Bonham et al), 2006;33:125
Wound care. ***See*** **Wound, ostomy and continence (WOC) nursing**